

**APPENDIX 1:** Birds reported from Kwanwe Game Reserve and the farms which have been incorporated into the reserve.

Common name	Scientific name	Diaz	Museum	Reserve	Occurrence
Common Ostrich	<i>Struthio camelus</i>	X		X	GR
Red-winged Francolin	<i>Scleroptila levaillantii</i>			X	GR
Red-necked Spurfowl	<i>Pternistes afer</i>			X	GR
Common Quail	<i>Coturnix coturnix</i>			X	GM
Helmeted Guineafowl	<i>Numida meleagris</i>	X	X	X	GR
White-faced Duck	<i>Dendrocygna viduata</i>			X	WV
White-backed Duck	<i>Thalassornis leuconotus</i>			X	WV
Egyptian Goose	<i>Alopochen aegyptiaca</i>	X		X	WR
South African Shelduck	<i>Tadorna cana</i>	X		X	WR
Spur-winged Goose	<i>Plectropterus gambensis</i>			X	WR
African Pygmy-Goose	<i>Nettapus auritus</i>			X	WV
Cape Teal	<i>Anas capensis</i>	X		X	WR
African Black Duck	<i>Anas sparsa</i>	X		X	WR
Yellow-billed Duck	<i>Anas undulata</i>	X		X	WR
Cape Shoveler	<i>Anas smithii</i>			X	WR
Red-billed Teal	<i>Anas erythrorhyncha</i>	X		X	WR
Southern Pochard	<i>Netta erythrophthalma</i>	X			WV
Kurrichane Buttonquail	<i>Turnix sylvaticus</i>			X	GR
Greater Honeyguide	<i>Indicator indicator</i>	X		X	FR
Scaly-throated Honeyguide	<i>Indicator variegatus</i>			X	FV
Lesser Honeyguide	<i>Indicator minor</i>			X	FR
Brown-backed Honeybird	<i>Prodotiscus regulus</i>	X		X	FV
Red-throated Wryneck	<i>Jynx ruficollis</i>	X		X	TR
Knysna Woodpecker	<i>Campethera notata</i>			X	FR
Cardinal Woodpecker	<i>Dendropicos fuscescens</i>	X	X	X	FR
Olive Woodpecker	<i>Dendropicos griseocephalus</i>		X	X	FR
Ground Woodpecker	<i>Geocolaptes olivaceus</i>			X	GV
Red-fronted Tinkerbird	<i>Pogoniulus pusillus</i>			X	FR
Acacia Pied Barbet	<i>Tricholaema leucomelas</i>	X		X	TR
Black-collared Barbet	<i>Lybius torquatus</i>	X		X	FR
Crowned Hornbill	<i>Tockus alboterminatus</i>	X	X	X	FR
African Hoopoe	<i>Upupa africana</i>	X		X	TR
Green Wood-Hoopoe	<i>Phoeniculus purpureus</i>	X	X	X	FR
Narina Trogon	<i>Apaloderma narina</i>			X	FR
European Roller	<i>Coracias garrulus</i>			X	TM
Half-collared Kingfisher	<i>Alcedo semitorquata</i>			X	WV
Malachite Kingfisher	<i>Alcedo cristata</i>	X		X	WR
African Pygmy-Kingfisher	<i>Ispidina picta</i>			X	TM
Brown-hooded Kingfisher	<i>Halcyon albiventris</i>	X	X	X	TR
Giant Kingfisher	<i>Megaceryle maximus</i>	X		X	WR
Pied Kingfisher	<i>Ceryle rudis</i>			X	WR
White-fronted Bee-eater	<i>Merops bullockoides</i>			X	TR
European Bee-eater	<i>Merops apiaster</i>	X			TM
Speckled Mousebird	<i>Colius striatus</i>	X		X	TR
Red-faced Mousebird	<i>Urocolius indicus</i>	X	X	X	TR
Jacobin Cuckoo	<i>Clamator jacobinus</i>	X		X	TM
Great Spotted Cuckoo	<i>Clamator glandarius</i>			X	TM
Red-chested Cuckoo	<i>Cuculus solitarius</i>			X	FM
Black Cuckoo	<i>Cuculus clamosus</i>			X	FM
Klaas's Cuckoo	<i>Chrysococcyx klaas</i>	X		X	FM
Diderick Cuckoo	<i>Chrysococcyx caprius</i>	X		X	TM
Burchell's Coucal	<i>Centropus burchellii</i>			X	FR
Alpine Swift	<i>Tachymarptis melba</i>			X	GV
Common Swift	<i>Apus apus</i>			X	GM
African Black Swift	<i>Apus barbatus</i>	X		X	GV
Little Swift	<i>Apus affinis</i>	X		X	GR
Horus Swift	<i>Apus horus</i>	X		X	GM
White-rumped Swift	<i>Apus caffer</i>	X		X	GM
African Palm-Swift	<i>Cypsiurus parvus</i>			X	TR
Knysna Turaco	<i>Tauraco corythaix</i>			X	FR
Barn Owl	<i>Tyto alba</i>			X	TR
African Scops-Owl	<i>Otus senegalensis</i>			X	TR

**APPENDIX 1 CONTINUES:** Birds reported from Kwandwe Game Reserve and the farms which have been incorporated into the reserve.

Common name	Scientific name	Diaz	Museum	Reserve	Occurrence
Cape Eagle-Owl	<i>Bubo capensis</i>			X	GR
Spotted Eagle-Owl	<i>Bubo africanus</i>			X	TR
Verreaux's Eagle-Owl	<i>Bubo lacteus</i>			X	TR
African Wood-Owl	<i>Strix woodfordii</i>			X	FR
Fiery-necked Nightjar	<i>Caprimulgus pectoralis</i>			X	TR
European Nightjar	<i>Caprimulgus europaeus</i>			X	TM
Rock Dove	<i>Columba livia</i>			X	GV
Speckled Pigeon	<i>Columba guinea</i>	X		X	GR
African Olive-Pigeon	<i>Columba arquatrix</i>			X	FR
Laughing Dove	<i>Streptopelia senegalensis</i>	X		X	TR
Cape Turtle-Dove	<i>Streptopelia capicola</i>	X	X	X	TR
Red-eyed Dove	<i>Streptopelia semitorquata</i>	X		X	TR
Emerald-spotted Wood-Dove	<i>Turtur chalcospilos</i>			X	TR
Tambourine Dove	<i>Turtur tympanistria</i>	X		X	FR
Namaqua Dove	<i>Oena capensis</i>	X	X	X	TR
Ludwig's Bustard	<i>Neotis ludwigii</i>			X	GR
Kori Bustard	<i>Ardeotis kori</i>			X	GR
Southern Black Korhaan	<i>Afrotis afra</i>	X	X	X	GR
Grey Crowned Crane	<i>Balearica regulorum</i>			X	GV
Blue Crane	<i>Anthropoides paradiseus</i>			X	GR
African Finfoot	<i>Podica senegalensis</i>			X	WR
Black Crake	<i>Amaurornis flavirostris</i>			X	WR
Baillon's Crake	<i>Porzana pusilla</i>			X	WV
African Purple Swamphen	<i>Porphyrio madagascariensis</i>			X	WV
Common Moorhen	<i>Gallinula chloropus</i>			X	WR
Red-knobbed Coot	<i>Fulica cristata</i>	X		X	WR
Namaqua Sandgrouse	<i>Pterocles namaqua</i>			X	GV
African Snipe	<i>Gallinago nigripennis</i>	X		X	WV
Marsh Sandpiper	<i>Tringa stagnatilis</i>			X	WM
Common Greenshank	<i>Tringa nebularia</i>	X		X	WM
Wood Sandpiper	<i>Tringa glareola</i>	X		X	WM
Terek Sandpiper	<i>Xenus cinereus</i>			X	WM
Common Sandpiper	<i>Actitis hypoleucos</i>			X	WM
Little Stint	<i>Calidris minuta</i>			X	WM
Curlew Sandpiper	<i>Calidris ferruginea</i>			X	WM
Ruff	<i>Philomachus pugnax</i>			X	WM
African Jacana	<i>Actophilornis africanus</i>			X	WM
Water Thick-knee	<i>Burhinus vermiculatus</i>			X	WR
Spotted Thick-knee	<i>Burhinus capensis</i>	X	X	X	TR
African Black Oystercatcher	<i>Haematopus moquini</i>			X	WV
Black-winged Stilt	<i>Himantopus himantopus</i>	X		X	WR
Common Ringed Plover	<i>Charadrius hiaticula</i>			X	WM
Kittlitz's Plover	<i>Charadrius pecuarius</i>	X		X	WR
Three-banded Plover	<i>Charadrius tricollaris</i>	X	X	X	WR
Blacksmith Lapwing	<i>Vanellus armatus</i>	X		X	WR
Crowned Lapwing	<i>Vanellus coronatus</i>	X	X	X	GR
Double-banded Courser	<i>Rhinoptilus africanus</i>		X	X	GR
Caspian Tern	<i>Sterna caspia</i>			X	WV
Whiskered Tern	<i>Chlidonias hybrida</i>	X		X	WV
White-winged Tern	<i>Chlidonias leucopterus</i>			X	WV
Osprey	<i>Pandion haliaetus</i>			X	WV
Black-shouldered Kite	<i>Elanus caeruleus</i>	X		X	GR
Black Kite	<i>Milvus [migrans] migrans</i>			X	GM
Bateleur	<i>Terathopius ecaudatus</i>			X	GV
African Fish-Eagle	<i>Haliaeetus vocifer</i>	X		X	WR
Cape Vulture	<i>Gyps coprotheres</i>	X		X	GV
Black-chested Snake-Eagle	<i>Circaetus pectoralis</i>			X	TV
Brown Snake-Eagle	<i>Circaetus cinereus</i>			X	TV
African Marsh-Harrier	<i>Circus ranivorus</i>			X	WV
Black Harrier	<i>Circus maurus</i>			X	GR
African Harrier-Hawk	<i>Polyboroides typus</i>			X	TR
Southern Pale Chanting Goshawk	<i>Melierax canorus</i>	X		X	TR

**APPENDIX 1 CONTINUES:** Birds reported from Kwandwe Game Reserve and the farms which have been incorporated into the reserve.

Common name	Scientific name	Diaz	Museum	Reserve	Occurrence
Gabar Goshawk	<i>Melierax gabar</i>			X	TR
African Goshawk	<i>Accipiter tachiro</i>			X	TR
Little Sparrowhawk	<i>Accipiter minullus</i>		X	X	TR
Black Sparrowhawk	<i>Accipiter melanoleucus</i>			X	TR
Steppe Buzzard	<i>Buteo vulpinus</i>	X		X	GM
Forest Buzzard	<i>Buteo trizonatus</i>			X	FV
Jackal Buzzard	<i>Buteo rufofuscus</i>	X		X	TR
Tawny Eagle	<i>Aquila rapax</i>			X	GV
Verreaux's Eagle	<i>Aquila verreauxii</i>			X	FR
Booted Eagle	<i>Aquila pennatus</i>			X	FR
Martial Eagle	<i>Polemaetus bellicosus</i>	X		X	FR
African Crowned Eagle	<i>Stephanoaetus coronatus</i>			X	FR
Secretarybird	<i>Sagittarius serpentarius</i>			X	GR
Lesser Kestrel	<i>Falco naumanni</i>			X	GM
Rock Kestrel	<i>Falco rupicolus</i>	X	X	X	GR
Amur Falcon	<i>Falco amurensis</i>			X	GM
Eurasian Hobby	<i>Falco subbuteo</i>			X	TM
Lanner Falcon	<i>Falco biarmicus</i>			X	TV
Peregrine Falcon	<i>Falco peregrinus</i>			X	TV
Little Grebe	<i>Tachybaptus ruficollis</i>	X		X	WR
African Darter	<i>Anhinga rufa</i>	X		X	WR
Reed Cormorant	<i>Phalacrocorax africanus</i>			X	WR
White-breasted Cormorant	<i>Phalacrocorax lucidus</i>	X		X	WR
Little Egret	<i>Egretta garzetta</i>			X	WV
Great Egret	<i>Egretta alba</i>			X	WV
Grey Heron	<i>Ardea cinerea</i>	X		X	WR
Black-headed Heron	<i>Ardea melanocephala</i>	X		X	GR
Goliath Heron	<i>Ardea goliath</i>			X	WV
Purple Heron	<i>Ardea purpurea</i>			X	WV
Cattle Egret	<i>Bubulcus ibis</i>			X	GR
Squacco Heron	<i>Ardeola ralloides</i>			X	WV
Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>			X	WR
Little Bittern	<i>Ixobrychus minutus</i>			X	WV
Hamerkop	<i>Scopus umbretta</i>	X		X	WR
Greater Flamingo	<i>Phoenicopterus ruber</i>			X	WV
Glossy Ibis	<i>Plegadis falcinellus</i>	X			WV
Hadedda Ibis	<i>Bostrychia hagedash</i>	X		X	GR
African Sacred Ibis	<i>Threskiornis aethiopicus</i>	X		X	WV
African Spoonbill	<i>Platalea alba</i>	X		X	WR
Black Stork	<i>Ciconia nigra</i>	X		X	WM
White Stork	<i>Ciconia ciconia</i>	X		X	GM
Abdim's Stork	<i>Ciconia abdimii</i>			X	GV
Black-headed Oriole	<i>Oriolus larvatus</i>		X	X	FR
Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	X		X	FR
Blue-mantled Crested-Flycatcher	<i>Trochocercus cyanomelas</i>			X	FV
African Paradise-Flycatcher	<i>Terpsiphone viridis</i>	X		X	FM
Black-backed Puffback	<i>Dryoscopus cubla</i>	X		X	FR
Black-crowned Tchagra	<i>Tchagra senegalus</i>			X	FR
Southern Tchagra	<i>Tchagra tchagra</i>	X	X	X	TR
Southern Boubou	<i>Laniarius ferrugineus</i>	X	X	X	FR
Bokmakierie	<i>Telophorus zeylonus</i>	X	X	X	TR
Orange-breasted Bush-Shrike	<i>Telophorus sulfureopectus</i>			X	FR
Olive Bush-Shrike	<i>Telophorus olivaceus</i>		X	X	FR
Grey-headed Bush-Shrike	<i>Malaconotus blanchoti</i>	X		X	FR
Cape Batis	<i>Batis capensis</i>	X	X	X	FR
Chin-spot Batis	<i>Batis molitor</i>	X	X	X	TR
Cape Crow	<i>Corvus capensis</i>	X		X	GR
Pied Crow	<i>Corvus albus</i>			X	GV
White-necked Raven	<i>Corvus albicollis</i>	X		X	GR
Red-backed Shrike	<i>Lanius collurio</i>			X	TM
Common Fiscal	<i>Lanius collaris</i>	X	X	X	TR
Grey Cuckooshrike	<i>Coracina caesia</i>			X	FV

**APPENDIX 1 CONTINUES:** Birds reported from KwanDwe Game Reserve and the farms which have been incorporated into the reserve.

Common name	Scientific name	Diaz	Museum	Reserve	Occurrence
Black Cuckooshrike	<i>Campephaga flava</i>			X	FR
Cape Penduline-Tit	<i>Anthoscopus minutus</i>			X	TV
Southern Black Tit	<i>Parus niger</i>	X	X	X	TR
Grey Tit	<i>Parus afer</i>			X	TR
Brown-throated Martin	<i>Riparia paludicola</i>	X		X	GM
Banded Martin	<i>Riparia cincta</i>			X	GV
Barn Swallow	<i>Hirundo rustica</i>	X		X	GM
White-throated Swallow	<i>Hirundo albigularis</i>	X		X	GM
Pearl-breasted Swallow	<i>Hirundo dimidiata</i>		X	X	GM
Greater Striped Swallow	<i>Hirundo cucullata</i>	X		X	GM
Lesser Striped Swallow	<i>Hirundo abyssinica</i>	X		X	GM
Rock Martin	<i>Hirundo fuligula</i>	X	X	X	GR
Common House-Martin	<i>Delichon urbicum</i>			X	GM
Black Saw-wing	<i>Psalidoprocne holomelaena</i>			X	FM
Dark-capped Bulbul	<i>Pycnonotus tricolor</i>	X	X	X	FR
Sombre Greenbul	<i>Andropadus importunus</i>	X	X	X	FR
Terrestrial Brownbul	<i>Phyllastrephus terrestris</i>			X	FR
Fairy Flycatcher	<i>Stenostira scita</i>			X	TV
Long-billed Crombec	<i>Sylvietta rufescens</i>		X	X	TR
Yellow-bellied Eremomela	<i>Eremomela icteropygialis</i>			X	TR
Little Rush-Warbler	<i>Bradypterus baboecala</i>	X		X	WR
Barratt's Warbler	<i>Bradypterus barratti</i>			X	FV
African Reed-Warbler	<i>Acrocephalus baeticatus</i>			X	WM
Lesser Swamp-Warbler	<i>Acrocephalus gracilirostris</i>	X		X	WR
Willow Warbler	<i>Phylloscopus trochilus</i>			X	TM
Chestnut-vented Tit-Babbler	<i>Parisoma subcaeruleum</i>	X	X	X	TR
Cape White-eye	<i>Zosterops capensis</i>	X	X	X	FR
Lazy Cisticola	<i>Cisticola aberrans</i>			X	GR
Grey-backed Cisticola	<i>Cisticola subruficapilla</i>			X	GR
Levaillant's Cisticola	<i>Cisticola tinniens</i>	X		X	WR
Neddicky	<i>Cisticola fulvicapilla</i>	X	X	X	TR
Zitting Cisticola	<i>Cisticola juncidis</i>	X		X	GR
Cloud Cisticola	<i>Cisticola textrix</i>			X	GV
Tawny-flanked Prinia	<i>Prinia subflava</i>	X		X	GR
Karoo Prinia	<i>Prinia maculosa</i>	X	X	X	GR
Rufous-eared Warbler	<i>Malcorus pectoralis</i>			X	GR
Bar-throated Apalis	<i>Apalis thoracica</i>	X	X	X	FR
Yellow-breasted Apalis	<i>Apalis flavida</i>	X		X	FR
Green-backed Camaroptera	<i>Camaroptera brachyura</i>	X		X	GR
Rufous-naped Lark	<i>Mirafraga africana</i>			X	GR
Eastern Clapper Lark	<i>Mirafraga [apiata] fasciolata</i>			X	GR
Dusky Lark	<i>Pinarocorys nigricans</i>			X	GV
Spike-heeled Lark	<i>Chersomanes albofasciata</i>			X	GR
Karoo Long-billed Lark	<i>Certhilauda subcoronata</i>			X	GV
Grey-backed Sparrowlark	<i>Eremopterix verticalis</i>			X	GV
Red-capped Lark	<i>Calandrella cinerea</i>	X		X	GR
Cape Rock-Thrush	<i>Monticola rupestris</i>	X		X	TR
Olive Thrush	<i>Turdus olivaceus</i>	X		X	FR
Chat Flycatcher	<i>Bradornis infuscatus</i>			X	GV
Southern Black Flycatcher	<i>Melaenornis pammelaina</i>			X	TR
Fiscal Flycatcher	<i>Sigelus silens</i>	X	X	X	TR
Spotted Flycatcher	<i>Muscicapa striata</i>			X	TR
African Dusky Flycatcher	<i>Muscicapa adusta</i>	X		X	FR
Cape Robin-Chat	<i>Cossypha caffra</i>	X	X	X	FR
Chorister Robin-Chat	<i>Cossypha dichroa</i>			X	FV
White-browed Scrub-Robin	<i>Cercotrichas leucophrys</i>	X	X	X	TR
Karoo Scrub-Robin	<i>Cercotrichas coryphoeus</i>	X	X	X	TR
African Stonechat	<i>Saxicola torquatus</i>	X	X	X	GR
Capped Wheatear	<i>Oenanthe pileata</i>			X	GV
Sickle-winged Chat	<i>Cercomela sinuata</i>			X	GR
Karoo Chat	<i>Cercomela schlegelii</i>			X	GV
Familiar Chat	<i>Cercomela familiaris</i>	X	X	X	GR

**APPENDIX 1 CONTINUES:** Birds reported from Kwandwe Game Reserve and the farms which have been incorporated into the reserve.

Common name	Scientific name	Diaz	Museum	Reserve	Occurrence
Ant-eating Chat	<i>Myrmecocichla formicivora</i>			X	GR
Mocking Cliff-Chat	<i>Thamnolaea cinnamomeiventris</i>	X		X	TR
Red-winged Starling	<i>Onychognathus morio</i>	X	X	X	FR
Cape Glossy Starling	<i>Lamprotornis nitens</i>	X		X	FR
Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>			X	TM
Pied Starling	<i>Spreo bicolor</i>	X	X	X	GR
Wattled Starling	<i>Creatophora cinerea</i>	X	X	X	GV
Common Starling	<i>Sturnus vulgaris</i>	X		X	GR
Red-billed Oxpecker	<i>Buphagus erythrorhynchus</i>			X	GV
Grey Sunbird	<i>Cyanomitra veroxii</i>			X	FR
Amethyst Sunbird	<i>Chalcomitra amethystina</i>	X		X	FR
Malachite Sunbird	<i>Nectarinia famosa</i>	X	X	X	GR
Collared Sunbird	<i>Hedydipna collaris</i>			X	FR
Southern Double-collared Sunbird	<i>Cinnyris chalybeus</i>	X		X	TR
Greater Double-collared Sunbird	<i>Cinnyris afer</i>	X		X	TR
Dusky Sunbird	<i>Cinnyris fuscus</i>			X	TV
Scaly-feathered Finch	<i>Sporopipes squamifrons</i>			X	TV
White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>			X	TV
Spectacled Weaver	<i>Ploceus ocularis</i>	X		X	TR
Cape Weaver	<i>Ploceus capensis</i>	X		X	FR
Southern Masked-Weaver	<i>Ploceus velatus</i>			X	TR
Village Weaver	<i>Ploceus cucullatus</i>	X		X	FR
Dark-backed Weaver	<i>Ploceus bicolor</i>			X	FR
Red-billed Quelea	<i>Quelea quelea</i>	X		X	GV
Southern Red Bishop	<i>Euplectes orix</i>	X		X	GR
Yellow Bishop	<i>Euplectes capensis</i>			X	GR
Fan-tailed Widowbird	<i>Euplectes axillaris</i>			X	GV
Red-collared Widowbird	<i>Euplectes ardens</i>	X		X	GR
African Quailfinch	<i>Ortygospiza atricollis</i>	X		X	GR
Red-headed Finch	<i>Amadina erythrocephala</i>		X		GV
Swee Waxbill	<i>Coccyzygia melanotis</i>			X	FR
Common Waxbill	<i>Estrilda astrild</i>	X		X	FR
Red-billed Firefinch	<i>Lagonosticta senegala</i>	X		X	TR
African Firefinch	<i>Lagonosticta rubricata</i>	X	X	X	TR
Bronze Mannikin	<i>Spermestes cucullatus</i>			X	FR
Pin-tailed Whydah	<i>Vidua macroura</i>	X	X	X	GR
Long-tailed Paradise Whydah	<i>Vidua paradisaea</i>			X	GV
Dusky Indigobird	<i>Vidua funerea</i>	X	X	X	TR
House Sparrow	<i>Passer domesticus</i>	X		X	TR
Cape Sparrow	<i>Passer melanurus</i>	X	X	X	TR
Southern Grey-headed Sparrow	<i>Passer diffusus</i>	X		X	TR
Yellow-throated Petronia	<i>Petronia superciliaris</i>			X	TR
Cape Wagtail	<i>Motacilla capensis</i>	X		X	GR
African Pied Wagtail	<i>Motacilla aguimp</i>			X	WR
Cape Longclaw	<i>Macronyx capensis</i>			X	GR
African Pipit	<i>Anthus cinnamomeus</i>	X	X	X	GR
Buffy Pipit	<i>Anthus vaalensis</i>			X	GV
Long-billed Pipit	<i>Anthus similis</i>	X	X	X	GR
Cape Canary	<i>Serinus canicollis</i>	X			TV
Yellow-fronted Canary	<i>Crithagra mozambicus</i>	X	X	X	TR
Black-throated Canary	<i>Crithagra atrogularis</i>			X	TR
Forest Canary	<i>Crithagra scotops</i>			X	FR
Brimstone Canary	<i>Crithagra sulphuratus</i>	X	X	X	TR
White-throated Canary	<i>Crithagra albogularis</i>	X		X	TR
Streaky-headed Seedeater	<i>Crithagra gularis</i>	X	X	X	TR
Lark-like Bunting	<i>Emberiza impetuani</i>			X	GV
Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>	X		X	GR
Cape Bunting	<i>Emberiza capensis</i>	X	X	X	GR
Golden-breasted Bunting	<i>Emberiza flaviventris</i>	X		X	TR
<b>Total</b>		<b>149</b>	<b>56</b>	<b>302</b>	

The two-letter code indicates the main habitat (G, grassland; F, forest or woodland; T, thornveld; W, water) and the status (R, resident; M, migrant, normally present in summer only; V, vagrant, irregular records).